STANDARD DETAIL DRAWINGS

STREET DETAILS


TITLE	SHEET NO.	REVISION DATE
Major Arterial (AA)	STD-1.1	October 2006
Major Arterial (A)	STD-1.2	October 2006
Minor Arterial (B)	STD-1.3	October 2006
Minor Arterial (B5)	STD-1.4	October 2006
Major Collector (C)	STD-1.5	October 2006
Major Collector (C3)	STD-1.6	October 2006
Minor Collector (D)	STD-1.7	October 2006
Local (A)	STD-1.8	October 2006
Local (B)	STD-1.9	October 2006
Rural	STD-1.10	August 2006
Concrete Pavement Joints	STD-1.11	November 2004
Concrete Pavement Joint Spacing	STD-1.12	November 2004
Concrete Pavement Street Headers	STD-1.13	November 2004
Reinforced Concrete Pavement Alleys	STD-1.14	November 2004
Median Island Detail	STD-2.0	November 2004
Median Island Reinforcement Detail	STD-2.1	November 2004
Commercial Driveway Design Layout	TBL. 6-4	May 2006
Residential Driveway Design Layout	TBL. 6.4(A)	May 2006
Standard Driveway Approach	STD-3.1	October 2007
Standard Driveway Approach with Culvert	STD-3.2	February 2004
Rural Road Driveway Approach with Culvert	STD-3.3	April 2006
Curb & Gutter Detail	STD-4.0	October 2006
Valley Gutter Detail	STD-4.1	October 2006
Sidewalk & Handicap Ramp Layout	STD-4.2	October 2006
Typical Cul-De-Sac Layout	STD-5.0	October 2006
Reinforced Concrete Retaining Wall With Sidewalk	STD-6.0	November 2004
Jack & Bore Detail	STD-7.0	March 2007
Pavement Cut Detail 1	STD-8.0	March 2007
Pavement Cut Detail 2	STD-8.1	March 2007

STORM SEWER DRAINAGE DETAILS

SHEET NO.	REVISION DATE
STW-1.0	October 2006
STW-1.1	March 2007
STW-2.0	November 2004
STW-2.1	November 2004
STW-3.0	March 2007
STW-3.1	March 2007
STW-3.2	March 2007
STW-4.0	March 2007
STW-5.0	March 2007
STW-6.0	November 2004
STW-7.0	November 2004
STW-7.1	November 2004
STW-8.0	November 2004
STW-9.0	March 2007
STW-10.0	March 2007
STW-11.0	January 2008
	STW-1.0 STW-1.1 STW-2.0 STW-2.1 STW-3.0 STW-3.1 STW-3.2 STW-4.0 STW-5.0 STW-6.0 STW-7.0 STW-7.1 STW-8.0 STW-9.0 STW-10.0

STREET DETAILS SECTION

Type "AA" Major Arterial (Commercial)



NOTE:

1. A SOL INVESTIGATION FOR SUBCRADE DESIGN SHALL BE CONDUCTED BY A GEOTECHNICAL ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:

a.) Pl.≥ 15. HYDRATED LIME APPLIED AT

6% BY WEIGHT (27*/SY MIN.)
b.) Pl.≤ 10. PORTLAND CEMENT APPLIED AT

5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION


3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD 4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.1	:	

Type "A" Major Arterial (Commercial)



NOTE:

1. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 5" SOIL STABILIZATION IS REQUIRED WHERE:

a.) PI > 15, HYDRATED LIME APPLIED AT

6% BY WEIGHT (27*/SY MIN.)

b.) PI < 10, PORTLAND CEMENT APPLIED AT

5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT.
OR ADDITION OF BOTH, MAY BE REQUIRED
AS RECOMMENDED BY A GEOTECHNICAL
REPORT ON SOIL INVESTIGATION

3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD


4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.2		

Type "B" Minor Arterial (Commercial)



NOTE:

1. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:

o.) PI 2 15, HYDRATED LIME APPLIED AT
6% BY WEIGHT (27*/SY MIN.)
b.) PI 5 10, PORTLAND CEMENT APPLIED AT
5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION 3. MIN, CURB HEIGHT AND WEDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD


4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5.THE WIDTH OF FLEXIBLE BASE
AND/OR STABILIZED SUBGRADE SHALL EXTEND
TO ONE FOOT (1') BEHIND THE BACK OF
CURB ON EACH SIDE OF THE ROADWAY.



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.3		

Type "B5" Minor Arterial (Commercial)



NOTE:

I. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED

a.) Pi ≥ 15, HYDRATED LIME APPLIED AT
6% BY WEIGHT (27*/SY MIN.)
b.) Pi ≤ 10, PORTLAND CEMENT APPLIED AT
5% BY WEIGHT (26*/SY MIN.)


A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION

- 3. MIN, CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD
- 4. SEE CITY OF WEATHERFORD STREET PAYEMENT STANDARDS AND TABLE 2-10
- 5.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.



	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.4		

Type "C" Major Collector (Commercial)



NOTE:

1, A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:

o.) PI 2 15, HYDRATED LIME APPLIED AT

5% BY WEIGHT (27*/SY MIN.)
b.) PI C 10, PORTLAND CEMENT APPLIED AT

5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION


3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD 4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5,THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1") BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.5		

Type "C3" Major Collector (Commercial)



NOTE:

1. A SOL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION


2. A 5" SOIL STABILIZATION IS REQUIRED WHERE:

o.) PI 2 15, HYDRATED LIME APPLIED AT
6% BY WEIGHT (27*/SY MIN.)
b.) PI 5 10, PORTLAND CEMENT APPLIED AT
5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION


3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD 4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.6		

Type "D" Minor Collector (Residential)



NOTE:

1. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:

o.) PI ≥ 15, HYDRATED LIME APPLIED AT

6% BY WEIGHT (27*/SY MIN.)
b.) PI ≤ 10, PORTLAND CEMENT APPLIED AT


5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION


3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD 4. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

5.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.

> MIN. PAVEMENT DEPTH AND STRENGTH SHALL BE 8"-CLASS C OR 2" H.M.A.C. TYPE "D" 6" H.M.A.C TYPE "B" OR 2"H.M.A.C. TYPE "D" 11" BASE COURSE



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.7		



NOTE:

1. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

- 2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:
- o.) PI > 15, HYDRATED LIME APPLIED AT
 6% BY WEIGHT (27*/SY MIN.)
 b.) PI < 10, PORTLAND CEMENT APPLIED
- AT 5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION


- 3. MIN. CURB HEIGHT AND WIDTH SHALL BE 6" OR AS SPECIFIED BY THE CITY OF WEATHERFORD
- 4. TACK COAT BETWEEN COURSE AS REQUIRED
- 5. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10

6.THE WIDTH OF FLEXIBLE BASE
AND/OR STABILIZED SUBGRADE SHALL EXTEND
TO ONE FOOT (1') BEHIND THE BACK OF
CURB ON EACH SIDE OF THE ROADWAY.

MIN. PAVEMENT DEPTH
AND STRENGTH
SHALL BE 5"-CLASS C
OR
2" H.M.A.C. TYPE "D"6" H.M.A.C. TYPE "B"
OR
2"H.M.A.C. TYPE "D"
8" BASE COURSE



Community	Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD-1.8		



NOTE:

1. A SOL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION

2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:

q.) PI 2 15, HYDRATED LIME APPLIED AT
6% BY WEIGHT (27*/SY MIN.)
b.) PI 4 10, PORTLAND CEMENT APPLIED AT
5% BY WEIGHT (26*/SY MIN.)

A GREATER QUANTITY OF LIME OR CEMENT, OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION

3. MIN. CURB HEIGHT AND WIDTH SHALL BE 5" OR AS SPECIFIED BY THE CITY OF WEATHERFORD

- 4. TACK COAT BETWEEN COURSE AS REQUIRED
- 5. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10
- 6.THE WIDTH OF FLEXIBLE BASE AND/OR STABILIZED SUBGRADE SHALL EXTEND TO ONE FOOT (1') BEHIND THE BACK OF CURB ON EACH SIDE OF THE ROADWAY.


MIN. PAVEMENT DEPTH AND STRENGTH SHALL BE 5"-CLASS C OR 2" H.M.A.C. TYPE "D"-6" H.M.A.C TYPE "B" OR 2"H.M.A.C. TYPE "D" 8" BASE COURSE



Communi	ity Development	NOT TO SCALE
Drawn by: COMDEVCW		
Date: 2/17/04		
Approved Pending		
STD- 1.9		


RURAL


(RESIDENTIAL)




NOTE:

- 1. A SOIL INVESTIGATION FOR SUBGRADE DESIGN SHALL BE CONDUCTED BY THE ENGINEER AND THIS DESIGN SHALL BE APPROVED BY THE CITY OF WEATHERFORD PRIOR TO CONSTRUCTION.
- 2. A 6" SOIL STABILIZATION IS REQUIRED WHERE:
 - A) PI > 15, HYDRATED LIME APPLIED AT 6% BY WEIGHT (27 LBS./ SY MIN.)
- B) PI < 10, PORTLAND CEMENT APPLIED AT 5% BY WEIGHT (26 LBS./SY MIN.) A GREATER QUANTITY OF LIME OR CEMENT OR ADDITION OF BOTH, MAY BE REQUIRED AS RECOMMENDED BY A GEOTECHNICAL REPORT ON SOIL INVESTIGATION.
- 3. SEE CITY OF WEATHERFORD STREET PAVEMENT STANDARDS AND TABLE 2-10.
- 4. AFTER COMPLETION OF ROAD CONSTRUCTION OWNER/ CONTRACTOR SHOULD STABILIZE THE R.O.W BY METHOD OF SEEDING, MULCHING, OR SODDING.







SPACING DIAGRAM FOR TRANSVERSE JOINTS


REINFORCED CONCRETE PAVEMENT
TRANSVERSE JOINT SPACING




STANDARD SPECIFICATION REFERENCE 5.8.

DATE 11-2004


STD- 1.12



STREET HEADER FOR FUTURE PAVEMENT



STREET HEADER AT EXISTING PAVEMENT



NOTES:

1. PAVEMENT BARS TO BE BENT STREET HEADER AT RAILROAD
DOWN INTO HEADER.

N.T.S.

2. HEADER AND PAVEMENT TO BE MONOLITHIC.


REINFORCED CONCRETE PAVEMENT

STREET HEADERS




DATE STD-1.13

REINFORCED CONCRETE PAVEMENT ALLEYS



ALLEY SECTION WITHOUT CURB N.T.S.




NOTES:

- 1. PROVIDE SAWED TRANSVERSE CONTRACTION
- JOINTS NOT MORE THAN 20' C-C. 2. REINFORCED WITH NO. 3 BARS AT 24" C-C
- 3. EXPANSION JOINTS TO BE PLACED AT ALL INTER-SECTIONS AND NOT TO EXCEED 600' BETWEEN JOINTS.
- 4. CONCRETE SHALL BE CLASS "C".

ALLEY WIDTH (W)	Д	В	R.O.W. WIDTH (C)
10'	5′	2'-6"	15′
20'	10′	6"	20'

	Community Development	NOT TO SCALE
	Drawn By: COMDEV CW	
	Date: 2-17-04	
	Approved PENDING	
WEATHERFORD		
Was a second of the second of	STD- 1.14	17 of 49




DIMENSIONS OF MEDIAN NOSE

Υ	=	15′	X - 27.6'
Y	-	16′	X = 28.8'
Y	=	17'	X = 29,9'
Υ	=	18′	X = 30.9'

CONCRETE NOSE FOR MEDIAN ISLAND
N.T.S.

NOTE:


MEDIAN PAVING SHALL EXTEND TO POINT WHERE MEDIAN IS 6' WIDE. IF MEDIAN IS 6' WIDE, PAVING SHALL EXTEND 15' FROM NOSE. FOR MEDIANS WIDER THAN 6' PAVING SHALL EXTEND 10' FROM NOSE. ALL DISTANCES ARE MINIMUM.





MEDIAN ISLAND PAVEMENT NOSE & LEFT TURN LANE



DATE STANDARD DRAWING NO. 11-2004 186(49 - 2.0








NOTE: REINFORCEMENT BARS SHALL MATCH THOSE IN PAVEMENT.


MEDIAN ISLAND PAVEMENT

MONOLITHIC CONCRETE NOSE




STANDARD DRAWING NO. DATE 11-2004_{19 of 45}D- 2.1








TYPICAL DRIVE APPROACH




SECTION A-A








STANDARD DRIVEWAY APPROACH WITH CULVERT. FOR USE IN RURAL ROADS WITHIN RESIDENTIAL ZONING AREAS ONLY.



CONCRETE CURB & GUTTER




NOTES:


- 1. Reinforcement shall be No. 3 bars, unless otherwise specified. 2. Concrete shall be class "C", 3600 PSI Minimum for integral C&G and class "A", 3000 PSI for seperate C&G.
 3. All curbs are constructed of portland cement concrete unless
- otherwise shown.
- 4. Expansion joints every 30 ft. and tool joint spacing at 10' intervals unless otherwise specified.
- 5 Grade shall be measured at back of curb.



COMMUNITY DEVEL	OPMENT DEPARTMENT
DRAWN BY: MP	
DATE: 10/10/06	•
APPROVED BY:	
STD - 4.0	

VALLEY GUTTER






NOTE:

ALL CONCRETE FOR VALLEY GUTTER SHALL BE CLASS "A".

REINFORCEMENT STEEL SHALL BE NO. 4 BARS ON 12" CENTERS BOTH WAYS.




 COMMUNITY [DEVELOPMENT	DEPARTMENT
DRAWN BY: MP		
DATE: 10/13/06		
APPROVED BY:		
STD - 4.1		




WEATHERFORD	


COMMUNITY DEVE	LOPMENT DEPARTMENT
DRAWN BY: MP	
DATE: 10/6/06	
APPROVED BY:	
STD- 4.2	

TYPICAL RESIDENTIAL CUL-DE-SAC






	Community	Development	NOT TO SCALE
Drawn by:	CW		
Date: 2/17/0	4		
Approved	Pending		
1			
STD-	5.0		



JACK & BORE DETAILS



NOTES:

1. A right—of—way excavation permit is required when jacking or boring within City right—of—way. Permit application available through Community Development Department.

2. When construction is within TXDoT right—of—way jurisdiction, a TXDoT permit


is required.

3. All construction methods for jacking & boring shall conform to item 503.1 thru 503.4 of N.C.T.C.O.G Standard Specifications for Public Works Construction, 4th edition.


4. When construction activity is completed, the contractor should backfill all bore pits to 90% of maximum density and replace, if any, surface vegetation to the

same or better condition prior to construction.


5. Check with Community Development Department for specific requirements not contained herein.



ASPHALT PAVEMENT CUT CONCRETE CAP



ASPHALT PAVEMENT CUT FLOWABLE FILL BACKFILL



NOTE:

- 1. Check with Community Development Department for specific requirements not contained herein.
- 2. Contractor is required to obtain a R.O.W. Excavation Permit prior to excavation and leave a monetary deposit for pavement repair at time of permitting.
- 3. Contractor shall contact Community Development Department inspector prior to backfilling to insure proper embedment compaction and correct backfill option.
- 4. Contractor is responsible for backfill procedures as shown above and asphalt pavement repair is to be performed ONLY by City forces or City approved contractor.



COMMUNITY DEVELOPMENT DEPARTMENT M.P.

DRAWN BY:

APPROVED BY:

1/24/07 DATE:


STD - 8.0

PAVEMENT CUT CONCRETE CAP FLOWABLE FILL


31 of 49

ASPHALT PAVEMENT CUT

CEMENT TREATED BASE BACKFILL



CONCRETE PAVEMENT CUT



NOTE:

- Check with Community Development Department for specific requirements not contained herein.
- 2. Contractor is required to obtain a R.O.W. Excavation Permit prior to excavation and leave a monetary deposit for pavement repair at time of permitting.
- 3. Contractor shall contact Community Development Department inspector prior to backfilling to insure proper embedment compaction and correct backfill option.
- 4. Contractor is responsible for backfill procedures as shown above and asphalt pavement repair is to be performed <u>ONLY</u> by City forces or City approved contractor.



COMMUNITY DEVELOPMENT DEPARTMENT

DRAWN BY: M.P.

DATE: 1/24/07

STD - 8.1


APPROVED BY:

PAVEMENT CUT
CEMENT TREATED BASE
C.T.B. & FLOWABLE FILL

32 of 49

STORM SEWER DRAINAGE DETAILS SECTION

STORM SEWER DETAIL



NOTE:


ITEM NUMBERS REFER TO N.C.T.C.O.G. "STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION" 4TH EDITION.

ALL STORM SEWER PIPE IS CLASS III RCP UNLESS OTHERWISE SPECIFIED ON PLANS. CONCRETE PIPE SPECIFICATIONS SHALL MEET THE REQUIREMENTS SET FORTH IN N.C.T.C.O.G. ITEM 501.6 THRU 501.6.2. PIPE JOINTS SHALL BE SEALED WITH COLD—APPLIED PREFORMED GASKET MATERIAL, PER ITEM 501.6.1.3.1.



COMMUNITY DEVELOPMENT DEPARTMENT				
DRAWN BY: MP				
DATE: 3/13/07	STORM SEWER DETAIL			
APPROVED BY:				
STW - 1.0				

TRENCH BACKFILL DETAIL




ITEM NUMBERS REFER TO N.C.T.C.O.G. "STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION" 4TH EDITION.

COMPACTION METHOD FOR TRENCH BACKFILL SHALL BE PER N.C.T.C.O.G ITEM 504.5.3 THRU 504.5.3.3.

DENSITIES REQUIRED FOR EVERY 200 LINEAR FEET OF TRENCH PER LIFT AND AT CROSSINGS DESIGNATED BY FIELD SERVICES INSPECTOR.



COMMUNITY DEVELO	PMENT DEPARTMENT		
DRAWN BY: MP			
DATE: 3/15/07	TRENCH BACKFILL DETAIL		
APPROVED BY:			
STW - 1.1			



M.H. SIZE	W)V	T	E	F	G	Н
4'	5'-4"	8"	6"	9"	ס	1'-3"
5′	6'-4"	8"	6"	12"	8"	1'-8"
6'	7′-6"	9"	9"	16"	10"	2'-2"

PLAN N.T.S.

TABLE OF DIMENSIONS

N.T.S. STANDARD M.H. FRAME AND COVER PRECAST CONCRETE GRADE RINGS AS SPECIFIED TO TOP SLAB BY OWNER -23" PAVING SURFACE NON SHRINK GROUT 1:2. ш USE PRECAST CONCRETE-GRADE RINGS AS REQUIRED #4 BARS AT 6" C-C DIA. TO RAISE TO GRADE (4' M.H.), OR #5 BARS AT 8" C-C (5' & 6' M.H.) #4 BARS AT #4 BARS AT 18" 18" EACH WAY. CLASS "A"-VERTICAL BARS #4 BARS AT 18" CONCRETE (IF WALL HEIGHT ZONTAL BARS
1 BARS AT 18"
UTSIDE FACE
1NSIDE FACE
14 BARS AT 15"
(4" M.H.) OR 9"
(5" &6" M.H. IS OVER 4'(4' & 5' Ţ<u>OP</u> <u>O</u>F%P¾PE M.H.), OR 6'(6' M.H.) USE STEEL REBAR HORIZONTAL | #4 BARS AT OUTSIDE FA SPACERS) SLOPE 3/8" TO DRAIN STEEL TROWE FINISH 2" X 4" KEYWAY-ပ OR #4 BARS AT 6" C-C (4' M.H.) OR #4 BARS AT 8" C-C (4' & 5' M.H.) #5 BARS AT 8" C-C (5' & 6' M.H.) #5 BARS AT 8" C-C (6' M.H.) EACH WAY IN LIEU OF KEYWAY


SECTION B-B


STORMWATER MANHOLE

4', 5', OR 6' SQUARE



11-2004 36 of W- 2.0





NOTES:


- 1. SLOPE INVERT OF MANHOLE AS INDICATED ON PLAN-PROFILE SHEET.
- 2. LAYERS OF REINFORCING STEEL NEAREST THE INTERIOR AND EXTERIOR SURFACE SHALL HAVE A COVER OF 2" TO THE CENTER OF BARS. UNLESS OTHERWISE NOTED.
- 3. CONCRETE SHALL BE CLASS "A".

STORMWATER MANHOLE 4', 5', OR 6' SQUARE



STANDARD SPECIFICATION REFERENCE

DATE 11-2004 STANDARD DRAWING NO. STW - 2.1



...\Curb Inlet Inline.dgn 4/3/2007 12:33:50 PM

က

STW.

03-2007

w ea thierford


OPENING

OR 20'


<u>_</u> U

, O


5




39 of 49




...\Inlet_Rebar_Manhole_Frame.dgn 3/20/2007 8:19:32 AM



41 of 49








NOTES:

- 1. MATERIAL AND WORKMANSHIP SHALL CONFORM WITH THE REQUIREMENTS OF NCTCOG STANDARD SPECIFICATIONS FOR STANDARD CONCRETE MANHOLES.MINIMUM CLASS "A" CONCRETE.
- 2. LAYERS OF REINFORCING STEEL NEAREST THE INTERIOR AND EXTERIOR SURFACES SHALL HAVE A COVER OF 2" TO THE CENTER OF BARS, UNLESS OTHERWISE NOTED.
- 3. FOR DETAILS OF REINFORCING OF LOWER PORTIONS OF INLET SEE APPROPRIATE SQUARE MANHOLE DETAILS.
- 4. DEPTH OF DROP INLET FROM FINISHED GRADE TO FLOW LINE OF INLET IS VARIABLE, APPROXIMATE DEPTH WILL BE SHOWN ON PLANS AT LOCATION OF INLET.
- 5. ALL STANDARD DROP INLETS SHALL HAVE ONE OPENING ON EACH SIDE UNLESS OTHERWISE SHOWN ON PLANS.
- 6. DECK MAY BE REINFORCED SAME AS 4' SQUARE MANHOLE.


DROP INLET
2', 4', 5' OR 6' SQUARE WEATHERFORD 03-2007 STW- 5.0









N. T. S.



SECTION A-A N. T. S.



SECTION B-B N.T.S.




SECTION C-C

NOTE: CONCRETE SHALL BE CLASS "A".

CONCRETE APRON SLOPING HEADWALL




DATE 45 oF45W- 7.1 11-2004





STANDARD STORM SEWER
CULVERT W/SAFETY END TREATMENTS

DATE:	
SHEET	
SHEE I & T	W- 8.0



PIPE COLLAR DETAIL NTS


NOTES

- 1. THIS PROCEDURE/DETAIL WILL ONLY BE USED WHEN A PREFAB REDUCTION IS NOT POSSIBLE.
- 2. CONCRETE FOR COLLAR WILL NOT BE PAID FOR DIRECTLY, BUT WILL BE CONSIDERED SUBSIDIARY TO THE VARIOUS OTHER BIDS.
- 3. CONCRETE SHALL BE 5 SACK 3000 PSI.

	COMMUNITY DEVELOPMENT	NOT TO SCALE
	DRAWN BY: COMDEVCW	
	DATE: 3-2007	
	APPROVED PENDING	
C I T Y O F		
WEHIMENFUND	STW- 9.0	

...\Desktop\Pipe Collar.dgn 3/20/2007 12:31:20 PM

* MAXIMUM DIAMETER OF NEW PIPE EQUALS ONE HALF OF EXISTING PIPE'S DIAMETER.




* REMOVAL OF PLUG FROM EXISTING RCP TO BE ACCOMPLISHED BY USING A MASONRY DRILL AT A SPACING EQUAL TO THE DRILL BIT DIAMETER IN A CIRCULAR PATTERN OR A MASONRY SAW IN AN OCTAGONAL PATTERN PER DETAIL.





STORM DRAIN CONNECTION TO EXISTING RCP


NTS



COMMUNITY	DEVELOPMENT NOT	TO SCALE
DRAWN BY: COMDEVCW		
DATE: 3-2007		
APPROVED PENDING		
STW- 10.0		

...\Storm_Drain_Connection_to_Exis 4/3/2007 2:13:44 PM

CURB INLET PROTECTION DETAIL



- NOTES.
- 1. WHERE MINIMUM CLEARANCES CAUSE TRAFFIC TO DRIVE IN THE GUTTER, THE CONTRACTOR MAY SUBSTITUTE A 1" X 4" BOARD SECURED WITH CONCRETE NAILS 3" O.C. NAILED INTO THE GUTTER IN LIEU OF SANDBAGS TO HOLD THE FILTER DIKE IN PLACE. UPON REMOVAL, CLEAN ANY DIRT/DEBRIS FROM NAILING LOCATIONS, APPLY CHEMICAL SANDING AGENT AND APPLY NON-SHRINK GROUT FLUSH WITH SURFACE OF GUTTER.
- 2. A SECTION OF FILTER FABRIC SHALL BE REMOVED AS SHOWN ON THIS DETAIL OR AS DIRECTED BY THE ENGINEER OR DESIGNATED REPRESENTATIVE. FABRIC MUST BE SECURED TO WIRE BACKING WITH CLIPS OR HOG RINGS AT THIS LOCATION.
- 3. DAILY INSPECTION SHALL BE MADE BY THE CONTRACTOR AND SILT ACCUMULATION MUST BE REMOVED WHEN DEPTH REACHES 2".
- 4. CONTRACTOR SHALL MONITOR THE PERFORMANCE OF INLET PROTECTION DURING EACH RAINFALL EVENT AND IMMEDIATELY REMOVE THE INLET PROTECTIONS IF THE STORM—WATER BEGINS TO OVERTOP THE CURB.
- 5. INLET PROTECTIONS SHALL BE REMOVED AS SOON AS THE SOURCE OF SEDIMENT IS STABILIZED.



COMMUNITY DEVELOPMENT DEPARTMENT

DRAWN BY: MP

DATE 1/25/08

STW-11.0

49 of 49